



- NOTES:
1. FRAME ALL WALLS OF 5 TOWERS WITH 2x6 STUDS @ 16"O.C., USE SOUTHERN YELLOW PINE GRADE #2 OR APPROVED EQUAL. PLATE HEIGHTS SHALL FOLLOW ARCHITECTURAL ELEVATIONS.
 2. INSTALL 1/2" PLYWOOD SHEATHING ALONG EXTERIOR FACE OF ALL 5 TOWERS. USE 8d COMMON NAILS @ 12"O.C. FOR INTERMEDIATE SUPPORTS AND @ 6"O.C. AT EDGES.
 3. USE GYPSUM BOARD NAIL @ 8"O.C. AT ALL INTERIOR WALLS WITH GYPSUM BOARD SHEATHING.
 4. ROOF DECK SHOULD BE 5/8" T&G PLYWOOD SHEATHING UNLESS OTHERWISE NOTED.

1 HIGHER ROOF FRAMING PLAN
SCALE: 1/8" = 1'-0"

SEE SHEET S2A FOR PLAN NOTES AND BEAM SCHEDULE.

| REVISIONS AND ISSUANCE | | |
|------------------------|------|-------------|
| NO. | DATE | DESCRIPTION |
| | | |

IVY KIDS EARLY LEARNING CENTER
LOT COM21
CROSS CREEK RANCH
6407 CROSS CREEK BEND LANE
FULSHEAR, Tx 77441

MISSION ENGINEERING INC.
10370 RICHMOND AVE, #560
HOUSTON, TEXAS 77042
[T] 713-981-0018
[E] dzhuang@missioneng.com
TPEF Registration No. F-11771



06/20/2019
DRAWING TITLE
HIGHER ROOF PLAN

| | |
|--------------------|--------------------|
| DRAWN BY HW | CHECKED BY EL |
| DATE 06/20/2019 | JOB NO. 1903081 |
| DRAWING NO. S2B | |